

3/14/2018

Print



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due
PO038929	MEC002-VU	8	2	Net 30	M7075T6S1.000X0.250	7075-T6 Sheet 0.250" Thick Plate X 1" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A- 250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 receive ft				12		12		S051414	Stock	3/14/2018	\$ 9.92 / ft	0	
Total:										12		12							

Plex 3/14/2018 1:28 PM Dart.Dubois.Pascal



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO038929

Supplier: MEC002-VU
Metaux Castle
P.O. Box 4090 Str A
Toronto
ON
M5W OE9 Canada

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO038929

PO Date: 2/1/18

Due Date: 2/26/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

REVISED

Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
8	M7075T6S1.000X0.250		7075-T6 Sheet 0.250" Thick Plate X 1" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft	Forecast	2/23/18	12 ft	0 ft	12 ft	\$9.92/ft	\$119.04
				Firmed	2/26/18	12 ft	0 ft	12 ft	\$9.92/ft	\$119.04
Sub Total:						24	0	24		\$238.08

Grand Total: \$238.08

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

CL

Plex 3/14/18 8:04 AM dart.lavoie.chantal

INTERORG TRANSFER

PACKING SLIP/

CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:3512763

Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 14-FEB-18		F.O.B. ORIGIN		Freight Terms Prepaid		Carrier ABF	
						BOL No 3512763-2	

Shipment Details

Order No 5033934		Line No 2	Item No 750023.MO	Description 0.2500.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 1 IN (+ .1250/- .0000 IN) X 72 IN () - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 Email P/s and certs to: clavoie@artaero.com
Purchase Order No 38929		Part Number		Ordered Qty 2.00 PCS
Details		ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@artaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS		

Delivery No. 121629084	Mill/Source KAISER ALUMINUM	Heat Number 	Mech Id 2	PCS 2	Width (IN)	Length (IN)	Shipped Qty(LBS) 3.7960
----------------------------------	--	---	---------------------	-----------------	-------------------	--------------------	-----------------------------------

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Date Printed: 14-FEB-2018 02:53:32 PM

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:	Date:	Name:
--	-------	-------

William R. Hayes
NADA
L-40 K-2

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

Serial Number

4438311

CUSTOMER PO NUMBER: 400174-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 750023	SHIP RUN/LOAD: 103731/3	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1222864-1	SHIP DATE: 31-OCT-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651
PRODUCT DESCRIPTION: Sawed Plate				
WEIGHT SHIPPED: 1080 LB	QUANTITY: 6 PCS EST.	TRUCK BL #: 2063216	GAUGE: 0.2500 IN (6.3500 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)
			LENGTH: 144.500 IN (3670.3 MM)	

MHU 2052582: LOT 195976B6: 6 pieces;

Certified Specifications

AMS 4045/RevL
CMMP 025/RevV

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Lot: 195976B6 Cast 302

Drop 11

Test Results

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	87.8 : 89.0 (605 : 614)	78.1 : 78.9 (538 : 544)	11.1 : 11.8

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.13	1.5	0.02	2.6	0.19	5.7	0.02	0.01	0.01	TOT 0.06

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 3





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4438311

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- * All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1215 (< 1 ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- * is free of weld repair.
- * meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER




INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 1

Shipment No:3512763

Ship From: A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA		Sold To: NORANCO - PICKERING DIVISION 1842 CLEMENTS ROAD PICKERING, ON L1W 3R8 CA		Ship To: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Deliver To: NORANCO - PICKERING DIVISION 1842 CLEMENTS ROAD PICKERING, ON L1W 3R8 CA	
Date Shipped 14-FEB-18	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier ABF	BOL No 3512763-2			

Shipment Details		Final Destination Branch - TOR	
-------------------------	--	---------------------------------------	--

Order No 1112081275	Line No 1	Item No 771029	Description 0.1600.SH.2024.O.ALUMINUM.BARE.48.0000.144.0000 SPECIFICATIONS: AMS 4035,AMS QQ-A-250/4,ASTM B209,CMMP 025				
Purchase Order No PO-0045208	Part Number YOUR ITEM NUMBER: RN-05010-48X144	Ordered Qty 1.00 PCS	Invoice Qty 1.00 PCS				
Details							
Delivery No. 121629081	Mill/Source KAISER ALUMINUM	Heat Number  2 2 9 1 0 3 B 7	Mech Id	PCS 1	Width (IN) 48.0000	Length (IN) 144.0000	Shipped Qty(LBS) 111.9744

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castile Metals Representative: 	Date: _____ Name: _____

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER
ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

Serial Number

4470335

CUSTOMER PO NUMBER: 429673-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 771029	SHIP RUN/LOAD: 103981/2	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1239844-1	SHIP DATE: 16-JUL-2017	ALLOY: 2024	CLAD: BARE	TEMPER: O
PRODUCT DESCRIPTION: HT Flat Sheet	WEIGHT SHIPPED: 3358 LB	QUANTITY: 30 PCS EST.	TRUCK B/L #: 2067919	GAUGE: 0.1600 IN (4.0640 MM)
DIA METER/WIDTH: 48.000 IN (1219.2 MM)	LENGTH: 144.000 IN (3657.6 MM)			

MHU 2132104: LOT 229103B7: 30 pieces;

Certified Specifications

AMS 4035/RevL
CMMP 025/RevV

AMS-QQ-A-250/4/RevB

ASTM B 209/Rev14

Test Code: 1504

Lot: 229103B7 Cast 486

Drop 19

Test Results

Ingot 1

Melted in USA

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	O	LT / 2 (Min:Max)	25.5 : 25.6 (176 : 177)	11.1 : 11.6 (77 : 80)	22.2 : 22.9
	T42	LT / 2 (Min:Max)	67.6 : 67.6 (466 : 466)	42.3 : 42.4 (292 : 292)	21.7 : 21.7
	T62	LT / 2 (Min:Max)	67.2 : 69.4 (463 : 479)	55.0 : 55.3 (379 : 381)	9.6 : 11.5

(ASTM E112)

(EN 2002-8)

Grain Size(ASTM No.): 5.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.06	0.21	4.6	0.57	1.3	0.01	0.06	0.03	0.01	0.00	TOT 0.06





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4470335

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
2024												
MIN(wt%)	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS
AMC A92024 50 R 20

TEST NOTES

Grain Size Test (ASTM E112, EN 2002-B)
(Etchant Used: Barker's; Magnification: 100X;
Sample Location: Head of the lot)

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- All test equipment and measuring devices are calibrated and certified in accordance with applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 251.225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- is free of weld repair.
- meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075+651.000x0.250
 DATE: MAR 14 2018

PO / BATCH NO.: 038929/5051414

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.250
 THICKNESS RECEIVED: 0.250
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<u>(N)</u>	
CORRECT FINISH	<u>(Y)</u>	N	
CORROSION	Y	<u>(N)</u>	
CORRECT GRAIN DIRECTION	<u>(Y)</u>	N	
CORRECT MATERIAL PER M-DRAWING	<u>(Y)</u>	N	<u>AMS-QQ-A-250/12</u>
CORRECT THICKNESS	<u>(Y)</u>	N	
PHOTO REQUIRED	Y	<u>(N)</u>	
CORRECT REF # TO LINK CERT	<u>(Y)</u>	N	<u>Heat # 19597656</u>
CORRECT MATERIAL IDENTIFICATION	<u>(Y)</u>	N	
CORRECT M# ON THE MATERIAL	<u>(Y)</u>	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<u>(N)</u>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<u>(N)</u>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 MAR 14 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4045
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4048 / 4049
OR ASTM B209

PART NUMBER:

M7075T6S | TTT | X | W.WWW |
| THK | | WIDTH |

WHERE "TTT" = THICKNESS (IN INCHES)
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE:

.TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19
ECN 17-574

APPROVED

B	ADD. REF. TO PLATE: T651 TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CART-148)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
SHEET 1 OF 1			
SCALE			
7075-T6 SHEET/PLATE SPEC			
NTS			
COPYRIGHT © 2010 BY DART AEROSPACE LTD			
ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			